





## WIDENING DETAILS FOR COMPOSITE PAVEMENTS (CRACKING, SEATING AND OVERLAY REHABILITATION)





- LEGEND:**
- ① 2" HOT PLANT BITUMINOUS MIX S-1 (75).
  - ② 8" LEAN CONCRETE CRACKED AND SEATED.
  - ③ 4" HOT PLANT BITUMINOUS MIX B-1 (75).
  - ④ 6" LEAN CONCRETE CRACKED AND SEATED.
  - ⑤ 25" SUBBASE COURSE.
  - ⑥ 6" AGGREGATE BASE COURSE CLASS A.
  - ⑦ 10" PORTLAND CEMENT CONCRETE PAVEMENT.
  - ⑧ 6" LEAN CONCRETE CRACKED AND SEATED.
  - ⑨ 2" HOT PLANT MIX BITUMINOUS PAVEMENT MIX B-1 (75).

## WIDENING DETAILS FOR BITUMINOUS PAVEMENT



- GENERAL NOTES:**
1. SAW CUT SHALL BE A SUBSIDIARY OBLIGATION OF THE CONTRACTOR AND SHALL BE USED WHEN NEW PAVEMENT MEETS WITH EXISTING PAVEMENT OR CONCRETE ISLAND.
  2. THE WIDENING DETAILS SHOWN SHALL BE USED UNLESS OTHERWISE SPECIFIED ON THE PLANS.

## WIDENING DETAILS FOR CONCRETE PAVEMENT



EFFECTIVE DATE: FEBRUARY 2000

COMMONWEALTH OF PUERTO RICO DEPARTMENT OF TRANSPORTATION AND PUBLIC WORKS HIGHWAY AND TRANSPORTATION AUTHORITY			
<b>MISCELLANEOUS PAVEMENT DETAILS TYPICAL PAVEMENT SECTIONS WIDENING</b>		RECOMMENDED BY: <i>[Signature]</i> DESIGN AREA DIRECTOR DATE: 2/23/99	APPROVED BY: <i>[Signature]</i> EXECUTIVE DIRECTOR DATE: 27-2-99
		APPROVED BY: <i>[Signature]</i> DIV. ADM. FHWA-PR DIVISION DATE: 1-13-2000	
DATE	REVISION	BY	STD. DWG. 1 OF 5