



EFFECTIVE DATE: APRIL 1996

LEGEND:

- | | |
|---|--|
| ① 0.25 MIN. PORTLAND CEMENT CONCRETE PAVEMENT | ⑫ 0.675 SUBBASE COURSE |
| ② 0.05 HOT PLANT MIX BITUMINOUS PAVEMENT MIX S-1 (75)-TYPE A SHOULDER | ⑬ SEE DETAIL ON DWG. PCCP 4 OF 6 |
| ②A 0.025 HOT PLANT MIX BITUMINOUS PAVEMENT MIX S-2 (75)-TYPE B SHOULDER | ⑭ SEE DETAIL A ON DWG. PCCP 5 OF 6 |
| ③ 0.10 HOT PLANT MIX BITUMINOUS PAVEMENT MIX B-1 (75) | ⑮ 0.15 TOPSOIL |
| ④ 0.075 HOT PLANT MIX BITUMINOUS PAVEMENT MIX B-1 (75) | ⑯ 0.125 AGGREGATE SUBBASE COURSE, GRADING CLASS D FOR TYPE A SHOULDER |
| ⑩ 0.30 BORROW CLASS D | ⑯A 0.150 AGGREGATE SUBBASE COURSE, GRADING CLASS D FOR TYPE B SHOULDER |
| ⑪ PAVEMENT DRAINS (SEE DETAIL ON DWG. PCCP 5 OF 6) | ⑰ SUBGRADE ELEVATION LINE |

NOTE:
FOR SLOPE S SEE DWG. PCCP 1 OF 6

ABBREVIATURE:

- VC- VERTICAL CURVE
 PG- PROFILE GRADE
 e- % OF SUPERELEVATION
 S- % OF SLOPE

NOT TO SCALE

COMMONWEALTH OF PUERTO RICO DEPARTMENT OF TRANSPORTATION AND PUBLIC WORKS HIGHWAY AND TRANSPORTATION AUTHORITY			
PORTLAND CEMENT CONCRETE PAVEMENT		RECOMMENDED BY: <i>[Signature]</i> DESIGN AREA DIRECTOR DATE: 4/17/96	
SHOULDERS TYPICAL SECTIONS TYPES A, B AND C		APPROVED BY: <i>[Signature]</i> EXECUTIVE DIRECTOR DATE: 5/18/96	
DIV. ADM. FHWA-PR DIVISION DATE: 5/18/96			
DATE	REVISION	BY	
			STD. PCCP DWG. 2 OF 6