


L/W = 2.0
Cd = 1.19

H min = 5.50

TYPE II-A

SPAN = 15.50 (50.8')
TOTAL SIGN AREA = 26.8 SQM (288 SQF)




L/W = 3.0
Cd = 1.20

H min = 5.50

TYPE II-B

SPAN = 19.15 (62.8')
TOTAL SIGN AREA = 40.0 SQM (430.2 SQF)



L/W = 2.0
Cd = 1.19

L/W = 2.0
Cd = 1.19

H min = 5.50

TYPE II-C

SPAN = 25.4 (83.4')
TOTAL SIGN AREA = 53.28 SQM (573.61 SQF)

LEGEND:

Cd = WIND DRAG COEFFICIENT

L = LENGTH OF SIGN OR TOTAL LENGTH OF A GROUP OF SIGNS.

W = HEIGHT OF A SIGN OR A GROUP OF SIGNS, 3.65.

EFFECTIVE DATE: DECEMBER 1998

COMMONWEALTH OF PUERTO RICO
DEPARTMENT OF TRANSPORTATION
AND PUBLIC WORKS
HIGHWAY AND TRANSPORTATION AUTHORITY

RECOMMENDED BY:
ASST. DIR. FOR TRAFFIC
DATE: 11/11/98

APPROVED BY:
EXECUTIVE DIRECTOR
DATE: 11/11/98

APPROVED BY:
DIR. ADM. DIVISION
DATE: 11/11/98

OVERHEAD SIGNS
BRIDGE TYPES

DATE	REVISION	BY

STD. OHTS
DWG. 6 OF 20